

Choose from our **EVEN BIGGER** range and have it delivered direct to your home.



**SPECIAL
ORDERS**

POOLS, SPAS & ACCESSORIES



BUNNINGS
warehouse



**LOWEST PRICES
ARE JUST THE
BEGINNING . . .**



SPECIAL ORDERS

CONTENTS

- P3 Balance Your Pools
pH Water Level
- P4 Inflatable Spa
- P5 Outdoor Spas
- P8 Swim Spa
- P9 Spa Accessories
- P10 Steel Frame Above
Ground Pools
- P12 Metal Wall Above
Ground Pools
- P14 Pool Pumps
- P16 Pool Filters
- P18 Pool Blankets

Welcome to Bunnings Special Orders

Bunnings has a huge range in stock, but did you know that with the introduction of our Special Orders programme you can now choose from an EVEN BIGGER range - in fact more than 10 times the amount currently available in store? As well as the extensive range available in this brochure, we can order almost any product for you, as long as it's made by a company that we do business with in the home improvement, renovation and trade markets.

Ordering is as simple as 1, 2, 3!



1 Make your choice

Browse through the information available until you find what you are after. You can choose your product from:

- Our Special Orders brochures.
- Products on display in the aisles.
- Or from the wide range of supplier catalogues available in store.

If you don't find the product you are looking for, ask a Bunnings Team Member for assistance.

2 Make your purchase

After you have selected the product you want, place your order at our Special Orders desk in store.

A Team Member will place your order with the supplier of the product requested.

3 Receive your goods

When your Special Order is ready for delivery or collection, you will be contacted by telephone by Bunnings, usually within 7-14 working days, depending on the product purchased.

Home delivery can be arranged with the store at an additional cost. Ask at the Special Orders desk for details.

Valid until the end of April 2011. For an update on the latest Special Orders products see bunnings.com.au

Balance Your Pool's pH Water Level

You'll be a lot more comfortable in the water, and your pool and equipment should be much better protected, if you maintain well-balanced pool water. A pool that is 'balanced' has acceptable levels of pH, total alkalinity and calcium hardness.

pH

Using a testing kit, test your pool water to determine the water's pH level. pH is a logarithmic scale from 0-14, with 7 being neutral. Below 7, a substance is defined as being acidic, while levels above 7 are said to be basic or alkaline.

Everything that enters your pool has a pH value, therefore topping up your pool, heavy rain, heavy bathing loads and chemical additions can all change the pH level of your water.

Incorrect pH levels cause discomforts to the swimmer, such as itchy skin, red eyes and can damage your pool's piping and surfaces. The ideal pH level for pool water is between 7.2 and 7.6. If the balance is above 7.6, the water is more alkaline and below 7.2, the pool water is more acidic - the lower on the scale, the greater the acidity.

Total Alkaline (TA)

TA is a measurement of all the carbonates, bicarbonates, hydroxides and other alkaline substances found in pool water. These materials act as a buffer in controlling pH change. Low alkalinity is raised by the addition of a base (just like pH) such as sodium bicarbonate. High levels of alkalinity are lowered by the addition of an acid (like pH). Alkalinity should be maintained in the 80 - 120 ppm range.

Calcium Hardness (CH)

CH refers to the calcium and magnesium content of pool water. It is wise to test the CH levels regularly to prevent problems on the pool shell or in the circulation system. The recommended range for calcium hardness is 200 - 500.

Testing Methods

There are many commercial testing methods available. They vary in what and how they test, as well as price. Below are 3 options of the different types of test kits:

1. Test Strips offer an easy "dip and read" method to test your pool water. Simply dip a strip in your pool water, wait 15 seconds and read your results.
2. Two-way test kits that test pH and chlorine.
3. Four-way test kit will test pH, chlorine, alkalinity and acid demand.



Ordering is as simple as:



1

Make your choice from the Special Order displays or brochures.



2

Fill in the order form and take it to the Special Orders desk.



3

Your Special Order can be delivered to your home or store.



Inflatable Spa



Surface requirements:

- All spas must be setup on flat and level ground, excavation tools maybe required to level the ground;
- It is not recommended these be set up on a concrete patio, we recommend the advice of a structural engineer if you wish to explore this option.

Indulgence 4 Person Deluxe Inflatable Spa

1920 x 730 mm I/N3090126

\$1,499

Pool fencing laws affect this product. We suggest you contact your local council for more information.

Set up in less than 30 minutes.

Includes:

- 1 year warranty on all parts;
- Reinforced contoured beam construction with inflatable floor;
- High capacity heating and filter spa pump;
- Inflatable pool cover with safety locking clips that retains spa heat;
- 88 Air Jets for maximum bubbles;
- Ground cloth;
- Electric safety plug;
- Instruction manual and repair kit with additional DVD instructions.



Heater & Filter Pump

- High capacity spa filter pump and heater combo;
- Compliant to Australian standards with dual filtration;
- Heats water to 40°C.



LED Temperature Control Panel



CFG Safety Switch



Spa Cover



Cushioned Spa Floor




Secure Lockable Spa Cover



Compact Construction

- Great for small backyards and apartments;
- Completely portable;
- Quick and easy assembly.



Indulgence	Specifications
Dimensions d x h mm	1920 x 730
Water Capacity (80%)	800L
Dry Weight	36kgs
Electrical Requirements	Domestic 10amp plug/240V
Pump Flow Rate	2200L/Ph
Pump Size	900W
Pump Heater	2000W/2.7HP
Pump Heating Rate	2C/Hr
Pump Max Heating Temp	40°C
Spa Pump Accessories	Hoses and clamps

Now you can choose from an even bigger range.



Image shown includes the standard Externawood cabinet.

Oasis 5 Seater Spa

\$6,490

Seats up to 5 people. Comes complete with 27 Stainless Steel Jets.




Sterling
Marble

I/N3220060




Pearl
Shadow

I/N3220064



Mystic
Emerald

I/N3220000



Summer
Sapphire

I/N3220017



Reverse moulded
neck jets

Oasis	Specification
Dimensions l x w x h mm	2000 x 2240 x 890
Litres	1076L
Dry Weight	240kg
Cabinet	Standard: Externawood Optional Extra: Custom Crafted Western Red Cedar
Hardcover included	Colour: Slate Grey
Control Panel	SCS 501
Electrical Requirements	Load shed 15amps, fully loaded 22amps
Installation	15amp plug required
Heater	3kw
Pumps	1 x 4HP one speed
Circulation Pumps	1 Standard (Balboa)
Ozone System	Optional
LED Light	Optional
Stainless Steel Jets	Standard - Plus neck jets
Suctions	2
Underwater Lighting	1 x 12 Volt Light
50sq ft Top Access Filter	1
Duo Jets	15
Hurricane Adjustable Jets	3
Hurricane Adjustable Swirl Jets	1
Mini Hurricane Pulsating Jets	7
Ozone Jet	1
Total Number of Jets	27

Ordering is as simple as:



1

Make your choice from the Special Order displays or brochures.



2

Fill in the order form and take it to the Special Orders desk.



3

Your Special Order can be delivered to your home or store.



Image shown includes optional stainless steel jets.




Sterling
Marble

I/N3220062




Pearl
Shadow

I/N3220026



Mystic
Emerald

I/N3220024



Summer
Sapphire

I/N3220025

Venetian 7 Seater Spa \$7,990

Allow 7 of your closest friends to relax in Venetian style. With a full recliner seat included, this is the perfect weekend retreat!

Venetian	Specification	
Dimensions l x w x h mm	2330 x 2330 x 860	
Water Capacity (1L = approx 1kg)	1500L	
Dry Weight	270kg	
Cabinet	Custom Crafted Western Red Cedar	
Hardcover included	Colour: Slate Grey	
Control Panel	SCS 501	
Electrical Requirements	Load Shed 15amps, fully loaded 26amps	
Installation	Needs to be hardwired	
Pumps	1 x 4.8 bhp 2 Speed Pump	
900 Watt Turbo Blower	Yes	
Air Controls	3	
Underwater Lighting	1 x 12 Volt Light	
Aromatherapy	Yes	
100sq ft Front Access Skim Filter	1	
Air Injector Jets	21	Optional stainless steel jets available, see page 9 for details.
Hurricane Adjustable Jets	7	
Hurricane Adjustable Twin Spin Jets	2	
Hurricane Adjustable Swirl Jets	5	
Ozone Jets	1	
Total Air Jets	21	
Total Hydrotherapy Jets	25	
Total number of Jets	46	

Mandalay Bay 7 Seater Spa \$9,489

Mandalay Bay is the ultimate when it comes to hydrotherapy heaven. Seating for 7 that includes 2 full recliner seats, this spa should become part of your everyday!



Image shown includes optional stainless steel jets.




Sterling
Marble

I/N3220063



Pearl
Shadow

I/N3220030



Mystic
Emerald

I/N3220027



Summer
Sapphire

I/N3220028

Mandalay Bay	Specification	
Dimensions l x w x h mm	2260 x 2260 x 845	
Water Capacity (1L = approx 1kg)	1400L	
Dry Weight	290kg	
Cabinet	Custom Crafted Western Red Cedar	
Hardcover included	Colour: Slate Grey	
Control Panel	Balboa GL2000	
Electrical Requirements	Load Shed 22amps, Fully loaded 36amps	
Installation	Needs to be hardwired	
Heater	3kw	
Pumps	1 x 4.8 bhp Single Speed Pump, 1 x 4.8 bhp Two Speed Pump	
900 Watt Turbo Blower	Yes	
Air Controls	3	
Suctions	3	
Underwater Lighting	1 x 12 Volt Light	
Aromatherapy	Yes	
100sq ft Front Access Skim Filter	1	
Air Injector Jets	20	Optional stainless steel jets available, see page 9 for details.
Adjustable Neck Jets	2	
Duo Jets	3	
Hurricane Adjustable Jets	8	
Hurricane Adjustable Twin Spin Jets	5	
Hurricane Adjustable Swirl Jets	7	
Ozone Jets	1	
Total Air Jets	20	
Total Hydrotherapy Jets	26	
Total number of Jets	46	

Ordering is as simple as:



1

Make your choice from the Special Order displays or brochures.



2

Fill in the order form and take it to the Special Orders desk.



3

Your Special Order can be delivered to your home or store.



Self Priming Swimming Pool Pumps


The Poseidon P series self priming swimming pool pumps have been specifically engineered for the demanding requirements of Australian swimming pools. The Poseidon P series pump is an ideal pump for above ground swimming pools and small to medium sized in ground swimming pools. The advanced design reduces maintenance requirements whilst providing excellent performance.

The versatility of Poseidon P series Pumps allows them to be used in other applications including:

- Fresh and salt water applications;
- Solar pool heating;
- Small to medium water features;
- Ponds;
- Any general clear water recirculation requirements.

Features and benefits:

- Self Priming;
- Maximum working pressure 250kpa;
- Totally enclosed fan cooled motor;
- High grade stainless steel mechanical seal with high quality ceramic/carbon wear face;
- Pump body constructed using state of the art plastics;
- Full 2 year warranty (mechanical seals 12 months).



Poseidon 75 - .75HP Pool Pump

I/N3080086 **\$269**

The P 75 is a .75HP self priming pool pump ideal for small pools as well as being ideal for a solar boost pump. Maximum recommended pool capacity is 25,000 litres.

Poseidon100 - 1HP Pool Pump

I/N3090111 **\$289**

The P100 is a 1HP self priming pool suitable for medium sized swimming pools as well as larger solar systems. Maximum pool size 36,000 litres.

Poseidon150 - 1.5HP Pool Pump

I/N3090153 **\$299**

The P150 is a 1.5HP self priming pool pump which can handle the average back yard swimming pool with ease. Maximum pool size 55,000 litres.



Image shown is the P100.

Try our Special Orders desk.

Poseidon Self Priming Pro Series Pump

The Poseidon Pro Series swimming pool pump is an ideal pump for medium to large swimming pools. This powerful pump is designed to provide all the power needed to operate a swimming pool and other ancillary systems such as spa jets and water features. The Poseidon Pro Series pump is specifically designed for the demanding requirements of Australian swimming pools.

The Poseidon Pro Series pump is able to be used for a variety of rolls including:


- Fresh and salt water swimming pools;
- Large solar pool heating;
- Large water features;
- Spa jets;
- Large recirculation systems.

Features and benefits:

- Self Priming;
- Maximum working pressure 250kpa;
- Totally enclosed fan cooled motor with IP55 rating;
- Large hair and lint basket (2.2 litre capacity);
- Supplied complete with couplings to suit both 40mm and 50mm pool systems;
- Full 2 year warranty (mechanical seals 12 months).



Poseidon Pro 150
I/N3090127 **\$389**



The performance curve measures the flow rate of the pump depending on the resistance of plumbing and filtration equipment in your pool system. The Poseidon Pro 150 is capable of turning over 144,000 litres of water in an 8 hour time period based on a 10 metre head. The Pro 150 will comfortably suit pools up to 75,000 litres or pools with spa ends and water features.



Ordering is as simple as:



1

Make your choice from the Special Order displays or brochures.



2

Fill in the order form and take it to the Special Orders desk.



3

Your Special Order can be delivered to your home or store.



Swimming Pool Cartridge Filters

The Poseidon swimming pool cartridge filter is an ideal pool filter for above ground swimming pools or in below ground pools where water restrictions or council requirements are enforced. Made using high quality plastics Poseidon swimming pool cartridge filters offer high quality, durable alternative to other forms of pool filtration available, with a five year tank warranty it also offers peace of mind.

The versatile Poseidon swimming pool cartridge filter can be used in other applications such as:

- Fresh and salt water swimming pools;
- Water features;
- Water filtration (rural);
- Aquaculture;
- Ponds;
- Any general recirculation requirements.

Features and benefits:

- Maximum working pressure 350kpa;
- Easy lock down lid assembly - easy to remove pleated cartridge inside the tank body;
- Pressure gauge supplied;
- Quick connect/disconnect couplings supplied - easy installation;
- Tank body constructed using high quality thermoplastics;
- Drain port facility - plumbs up to drain for emptying your pool when overflowing;
- 5 year tank warranty;
- Available in three sizes: 50, 75 and 100sq ft.



Poseidon CF 50

I/N3090128 **\$229**

Recommended for above ground pools up to 45,000L.



Poseidon CF 75

I/N3090129 **\$239**

Recommended for above ground pools up to 70,000L.



Poseidon CF 100

I/N3090130 **\$249**

Recommended for above and below ground pools up to 110,000L.

Replacement cartridges

Poseidon CF 50

I/N3090134 **\$79**

Poseidon CF 75

I/N3090132 **\$89**

Poseidon CF 100

I/N3090133 **\$99**

Now you can choose from an even bigger range.

Swimming Pool Sand Filters

Poseidon Hi rate sand filters offer outstanding performance and durability, and have been specifically designed for the filtration of water in swimming pools for Australian conditions. Using state of the art molding techniques and constructed with high density Polyethylene materials the Poseidon Hi rate media filter easily meets the demands of modern day swimming pool designs. Other applications for this filter include irrigation, aquaculture and drinking water filtration, as well as ponds and water features.

19" MF Series Filter

I/N3090113 **\$379**

24" MF Series Filter

I/N3090114 **\$459**

- Full 5 year warranty and 5 year pro-rata warranty;
- Installation instructions included.


15kg ZEO-CLOR

Zeolite - Premium Sand Replacement

Quantity required:

- 5 bags for the 19" filter.
- 6 bags for the 24" filter.

I/N3090117 **\$19.86** Per Bag



Recommended for below ground pools up to 55,000L.



Recommended for below ground pools up to 80,000L.

Ordering is as simple as:



1

Make your choice from the Special Order displays or brochures.



2

Fill in the order form and take it to the Special Orders desk.



3

Your Special Order can be delivered to your home or store.



Pool Blankets

Poseidon pool blankets are manufactured in Australia using premium quality 500micron for maximum durability. Blankets can be ordered any size to suit the needs of your pool.

- Reduces evaporation by 97%;
- 8 year pro-rata warranty;
- Warms your pool by up to 8 degrees by keeping warmth in the pool overnight;
- Reduces chemical use through reduced evaporation and keeping direct sunlight to a minimum reducing reaction with pool chemicals;
- Keeps your pool free of leaves and dirt;
- Made in Australia for Australian conditions.

Poseidon Pool Blanket



I/N3090118 **\$19.98** Per Square Metre

*Roller sold separately.

Poseidon Pool Blanket Roller


Use the roller to roll your blanket up when the pool is in use and then unroll your blanket when you have finished using it. Makes accessing your pool fast and easy.

I/N3090080 **\$299**




Ordering Your Custom Pool Blanket

1. Measure the maximum width and length at the water level. Treat all shapes as rectangles.



2. If you have any steps, measure the step area width and length separately



3. Measure the maximum width and length at the water level. Treat all shapes as rectangles.

Looking for something special?

Availability

Whilst we make every effort to maintain our supply, we cannot guarantee availability. Please check in store for the latest information. Delivery will usually be made within 7-14 working days. Whilst we make every effort to maintain our service levels, in exceptional circumstances our delivery lead times may be extended. You will be advised of any changes to the published timings at the time of placing your order.

Price guarantee

If you happen to find a cheaper price on a stocked item, even if it's on sale, we will not only match it, but beat it by 10%* for bringing it to our attention.

*Excludes trade quotations, stock liquidations and commercial quantities. Shelf prices may be lower than advertised to ensure the lowest prices everyday.

Payment

For purchases under \$500 and all custom-made products, payment is required in full when you place your order. For purchases over \$500, a deposit of \$500 is required when you place your order. Full payment for all purchases must be made before the order is delivered. You can choose to pay the balance of your order either in store or by phone with your local Bunnings.

Refunds, exchanges and returns

If your goods are incorrect or damaged on delivery we will exchange the product or issue a full refund. If you are unhappy for any other reason with your order, or change your mind, and notify us within 7 working days of delivery with your original receipt, we will exchange or refund any unused items*.

Please ensure that these goods are returned to us, as sold, with the original sales receipt. Refunds will be paid within 28 days of receipt of the returned order. Custom Made Products cannot be returned.

*Excludes installations and products made to measure.

All dimensions are approximate. All specifications correct at the time of going to print. Please note that the photographic and printing process may distort some colours. Display accessories shown in photographs throughout this publication are not included in the price. All items available at time of going to press. Not all services and products featured are available in all stores, but may be ordered. See in store for product availability. Shelf prices may be lower than advertised to ensure lowest prices every day. We reserve the right to restrict the purchase of commercial quantities. Bunnings Group Ltd A.B.N 26008672179. Valid until the end of April 2011.

Ordering is as simple as:



1

Make your choice from the Special Order displays or brochures.



2

Fill in the order form and take it to the Special Orders desk.



3

Your Special Order will be delivered to your home or store.

Pool Fences

Pool fencing laws affect the products featured in this brochure.


We have a wide range of DIY pool fencing which meet Australian standards for swimming pool & spa fencing.

Our pool fencing range includes:

- Wire;
- Aluminium - a wide range of styles, colours and sizes;
- Glass
 - Semi Frameless
 - Frameless
 - Below Ground.





Ask in store for details of our stocked and Special Order ranges.

For more information on the requirements surrounding pool fencing in your area, we suggest you contact your local council.








**SPECIAL
ORDERS**



BWS00179 Re-order code: NAT_BUNN1083



BUNNINGS
warehouse